

REFERENCES

- Ager, L.A. 1971. The fisheries of Lake Okeechobee, Florida. *Quarterly Journal of the Florida Academy of Sciences*, 34:53-62.
- Albers, E.J., A. Goldstein, and G. Ritter. 1991. Nonpoint source pollution control programs for the Northern Lake Okeechobee Drainage Basins. In: Nonpoint source pollution: the unfinished agenda for the protection of our water quality (Proceedings of conference), March 1991, Tacoma, WA.
- Aldridge, F.J., E.J. Phlips and C.L. Schelske. 1995. The use of nutrient enrichment bioassays to test for spatial and temporal distribution of limiting factors affecting phytoplankton dynamics in Lake Okeechobee, Florida, USA. *Archiv fur Hydrobiologie, Advances in Limnology* 45: 177-190.
- Anderson D.L., O.H. Tuovinen, A. Faber and I. Ostrokowski. 1995. Use of soil amendments to reduce soluble phosphorus in dairy soils. *Ecol. Eng.*, 5:229-246.
- Aumen, N.G. 1995. The history of human impacts, lake management, and limnological research on Lake Okeechobee, Florida (USA). *Archiv fur Hydrobiologie, Advances in Limnology* 45: 1-16.
- Aumen, N.G. and Wetzel, R.G. (eds.). 1995. Ecological studies of the littoral and pelagic systems of Lake Okeechobee, Florida (USA). *Archiv fur Hydrobiologie, Advances in Limnology*, Volume 45.
- Baker, B. 1990. Draft Caloosahatchee water quality based effluent limitations document (Lee County). Florida Department of Environmental Regulation Water Quality Technical Series, Volume 2. FDEP, Tallahassee, FL.
- Bell, F.W. 1987. The economic impact and valuation of the recreational and commercial fisheries in Lake Okeechobee, Florida. Final Report submitted to the Florida Game and Freshwater Fish Commission and Florida Department of Environmental Regulation, Tallahassee, FL.
- Bierman, V.J., Jr. 1995. A preliminary modeling analysis of water quality in Lake Okeechobee, Florida: Diagnostic and Sensitivity Analyses.
- Bierman, V.J., Jr. 1993. Draft performance report for Caloosahatchee Estuary salinity modeling. Report, South Florida Water Management District, West Palm Beach, FL.

- Boggess, C.F., E.G. Flaig, and R.C. Fluck. 1995. Phosphorus budget-basin relationships for the Lake Okeechobee tributary basins. *Ecol. Eng.*, 5: 143-162.
- Brezonik, P.L., J. Shapiro, and E. Swain. 1987. Floating blooms of the blue-green algae *Anabaena circinalis* in Lake Okeechobee: Causes, management alternatives. Final Report submitted to the South Florida Water Management District, West Palm Beach, FL.
- Brezonik, P.L., E.C. Blancher, V.B. Myers, C.L. Hilty, M.K. Leslie, C.R. Kratzer, G.D. Marbury, B.R. Snyder, T.L. Crisman, and J.J. Messer. 1979. Factors affecting primary production in Lake Okeechobee, Florida. Report to the Florida Sugar Cane League. Report No. 07-79-01. Department of Environmental Engineering Science, University of Florida, Gainesville, FL.
- Bull, L.A., D.D. Fox, D.W. Brown, L.J. Davis, S.J. Miller and J.G. Wulschleger. 1995. Fish distribution in limnetic areas of Lake Okeechobee, Florida. *Archiv fur Hydrobiologie, Advances in Limnology* 45: 333-342.
- Burns and McDonnell. February 15, 1994. Everglades Protection Project Conceptual Design, Project No. 92-166-1-002.
- Campbell, K.L., J.C. Capece and T.K. Tremwel. 1995. Surface/subsurface hydrology and phosphorus transport. *Ecol. Eng.* 5: 301-330.
- Canfield, D.E. Jr. and M.V. Hoyer. 1988. The Eutrophication of Lake Okeechobee. *Lake Reserv. Management*, 4(2): 91-99.
- Chamberlain, R.H., D.E. Haunert, P.H. Doering and K.M. Haunert. 1995. Preliminary estimate of optimum fresh water inflow to the Caloosahatchee Estuary, Florida. Report, South Florida Water Management District, West Palm Beach, FL.
- Chamberlain, R.H. and D. Hayward. 1996. Evaluation of water quality and monitoring in the St. Lucie Estuary, Florida. *Water Resources Bulletin*, in press.
- COE. 1995. Lake Okeechobee and Everglades Area Draft Water Control Manual. Vol. 3.
- CH2M Hill. 1995. Lake Okeechobee Class I/III Water Quality Study. Contract #C91-2588), prepared for the South Florida Water Management District.

- Cichra, M.G., S. Badylak, N. Henderson, B.H. Reuter and E.J. Phlips. 1995. Phytoplankton community structure in the open water zone of a shallow subtropical lake (Lake Okeechobee, Florida, USA). *Archiv fur Hydrobiologie, Advances in Limnology* 45: 157-176.
- Confer, J.L. 1972. Interrelations among plankton, attached algae, and the phosphorus cycle in artificial open systems. *Ecological Monographs* 42: 1-23.
- Dahm, C.N., K.W. Cummins, H.M. Valett and R.L. Coleman. 1995. An ecosystem view of the restoration of the Kissimmee River. *Restoration Ecology* 3: 225-238.
- Davis, F.E. and M.M. Marshall. 1975. Chemical and Biological Investigations of Lake Okeechobee January 1973-June 1974. Technical Publication 75-1.
- Davis, R.A., Jr. and D. Schrader. 1984. Sedimentation in the St. Lucie Estuary, Martin and St. Lucie counties, Florida. Prepared for the South Florida Water Management District, West Palm Beach, FL.
- DeGrove, B.D. 1981. Caloosahatchee River waste load allocation documentation. Florida Department of Environmental Regulation Water Quality Technical Series, Volume 3. FDEP, Tallahassee, FL.
- Diaz, O.A., K.R. Reddy and P.A. Moore. 1994. Solubility of inorganic P in stream water as influenced by pH and Ca concentration. *Water Res.*, 28: 1755-1763.
- Dierberg, F.E. 1992. The littoral zone of Lake Okeechobee as a source of phosphorus after drawdown. *Environmental Management* 16: 371-381.
- Dierberg, F.E. 1993. Lake Okeechobee phosphorus dynamics study Volume VI. littoral zone characterization - associated biogeochemical processes. Report, South Florida Water Management District, West Palm Beach, FL.
- Dye, C.W., D.A. Jones, L.T. Ross and R.L. Willmore. 1975. Limiting nutrients in the Kissimmee River-Lake Okeechobee Basin based on algae bioassay techniques. FDER Technical Section 1(2). Florida Department of Environmental Resources, Tallahassee, FL. 73 pp.
- Engstrom, D.R. and P.L. Brezonik. 1993. *Lake Okeechobee Phosphorus Dynamics Study Volume V. Phosphorus Accumulation Rates*. South Florida Water Management District, West Palm Beach, FL.

- ESE. 1992. On site sewage disposal system research on the northern periphery of Lake Okeechobee. - Rep. Environmental Science and Engineering, Inc., Gainesville, FL.
- EPA. 1993. Guidance Specifying Management Measures for Sources of Nonpoint Pollution in Coastal Waters. U.S. Environmental Protection Agency, Office of Water, Assessment and Watershed and Protection Division, Washington, D.C. 840-B-92-002.
- Federico, A., K. Dickson, C. Kratzer, and F. Davis. 1981. Lake Okeechobee water quality studies and eutrophication assessment. Technical Publication 81-2. South Florida Water Management District, West Palm Beach, FL. 270 pp.
- Federico, A.C. 1982. Water quality characteristics of the Lower Kissimmee River Basin. Technical Publication 82-3. South Florida Water Management District, West Palm Beach, FL. 107 pp.
- FDER. 1990a. Department of Environmental Regulation: SWIM Review Procedures Manual, March 20, 1990.
- FDER. 1990. Draft Caloosahatchee River water quality based effluent limitations documentation, Lee County, by B. Baker. Water Quality Technical Series, Volume 2, Number 121. Bureau of Water Facilities, FDER, Tallahassee, FL.
- Flaig, E.G. *et al.* Unpublished manuscript, SFWMD, 1994.
- Florida Department of Environmental Regulation (FDER). 1981. Caloosahatchee River wasteload allocation documentation, Lee County, by B.D. DeGrove. Water Quality Technical Series, Volume 2, Number 52. Bureau of Water Analysis, FDER, Tallahassee, FL.
- Florida Game and Freshwater Fish Commission. 1991. Lake Okeechobee-Kissimmee River-Everglades Resource Evaluation Project, Study II. Lake Okeechobee Fishery Resources. FGFWFC, Tallahassee, FL..
- Florida Game and Freshwater Fish Commission. 1993. Lake Okeechobee - Kissimmee River Project Annual Project Report, 1992-1993: Study I, Lake Okeechobee Fisheries Investigations. FGFWFC, Tallahassee, FL.
- Fluck, R.C., C. Fonyo, and E. Flaig. 1992. Land use based phosphorus balances for Lake Okeechobee, Florida, drainage basins. Appl. eng. Agric. 8: 813-820.

- Fox, D.D., S. Gornak, T.D. McCall, D.W. Brown and C.J. Morris. 1993. Lake Okeechobee fisheries investigations. Lake Okeechobee - Kissimmee River Project, Annual Progress Report. Florida Game and Fresh Water Fish Commission, Tallahassee, FL.
- Fry, B. 1991. Stable isotope diagrams of freshwater food webs. *Ecology* 72: 2293-2297.
- Fry, B., W. Brand, F.J. Mersch, K. Tholke and R. Garritt. 1992. Automated analysis system for coupled ¹³C and ¹⁵N measurements. *Analytical Chemistry* 64: 288-291.
- Furse, J.B. and D.D. Fox. 1996. Economic fishery valuation of five vegetation communities in Lake Okeechobee, Florida. Unpublished manuscript -- for a copy, contact the Florida Game and Fresh Water Fish Commission, Okeechobee, FL.
- Gophen, M. 1994. Blue-green algae and Lake Kinneret. *ASLO Bull.* 3: 5.
- Goldstein, A.L. 1993. Utilization of Wetlands as BMPs for the Reduction of Nitrogen and Phosphorus in Agricultural Runoff from South Florida Watersheds. *Lake Management* 2: 345-350.
- Gornak, S.I. and J. Zhang. 1997. FHANTM calibration and evaluation of management alternatives for meeting phosphorus concentration limitation for the Lake Okeechobee Watershed, Florida. *Applied Engineering in Agriculture* 13: (in press)
- Graves, G.A. and D.G. Strom. 1992. Bessy Creek and the greater St. Lucie Estuary. Florida Department of Environmental Regulation, Southeast District Ambient Water Quality Report. FDEP, Tallahassee, FL.
- Graetz, D.A. and V.D. Nair. 1995. Fate of phosphorus in Florida Spodosols contaminated with cattle manure. *Ecol. eng.*, 5: 163-181.
- Gunsalus, B., E.G. Flaig, and G. Ritter. 1992. Effectiveness of agriculture Best Management Practices implemented in the Taylor Creek/Nubbin Slough Watershed and the Lower Kissimmee River Basin. *Proc. Natl., Rural Clean Waters Program Symp.*, 1992, pp. 161-172.
- Hall, A. 1992. Guide for the Management of High Stages of Lake Okeechobee. Report, South Florida Water Management District, West Palm Beach, FL.
- Hanlon, C. and K.E. Havens. 1994. Does high lake stage cause algal blooms in Lake Okeechobee? *Lake and Reservoir Management* 9: 79..

- Harris, T.T., K.A. Williges, & P.V. Zimba. 1995. Primary productivity and decomposition of five emergent macrophyte communities in the Lake Okeechobee marsh ecosystem. *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 45: 63-78.
- Hansson, L.A. 1990. Quantifying the impact of periphytic algae on nutrient availability for phytoplankton. *Freshwater Biology* 24: 265-273.
- Haunert, D.E. 1988. Sedimentation characteristics and toxic substances in the St. Lucie Estuary, Florida. Technical Publication 88-10. South Florida Water Management District, West Palm Beach, FL. 40 pp.
- Haunert, D.E. 1986. Proposed supplemental water management strategy to enhance fisheries in the St. Lucie Estuary, Florida. Report, South Florida Water Management District, West Palm Beach, FL.
- Haunert, D.E. and R.J. Startzman. 1985. Short term effects of a discharge on the biota of the St. Lucie Estuary, Florida. Technical Publication 85-1. South Florida Water Management District, West Palm Beach, FL. 37 pp.
- Haunert, D.E. and R.H. Chamberlain. 1994. St. Lucie and Caloosahatchee Estuary performance measures for alternative Lake Okeechobee regulation schedules. Report, South Florida Water Management District, West Palm Beach, FL.
- Haunert, D.E. and J.R. Startzman. 1980. Some seasonal fisheries trends and effects of a 1,000 CFS fresh water discharge on the fisheries and macroinvertebrates in the St. Lucie Estuary, Florida. Report, South Florida Water Management District, West Palm Beach, FL.
- Haunert, D.E. 1988. Sedimentation characteristics and toxic substances in the St. Lucie Estuary, Florida. Technical Publication 88-10. South Florida Water Management District, West Palm Beach, FL. 40 pp.
- Haunert, D.E. and R.J. Startzman. 1985. Short-term effects of a discharge on the biota of the St. Lucie Estuary, Florida. Technical Publication 85-1. South Florida Water Management District, West Palm Beach, FL. 37 pp.
- Havens, K.E. 1993. Responses to experimental fish manipulations in a shallow, hypereutrophic lake: the relative importance of benthic nutrient recycling and trophic cascade. *Hydrobiologia* 254: 73-80.
- Havens, K.E. 1995. Particulate light attenuation in a large subtropical lake. *Can. J. Fish. Aquat. Sci.* 52: 1803-1811.

- Havens K.E., V.J. Bierman, E.G. Flaig, C. Hanlon, R.T. James, B.L. Jones, and V.H. Smith. 1995a. Historical trends in the Lake Okeechobee ecosystem. VI. synthesis. Arch. Hydrobiol. Suppl. Monogr. Beitr. 107: 99-109.
- Havens, K.E., C. Hanlon, and R.T. James. 1995b. Seasonal and spatial variation in algal bloom frequencies in Lake Okeechobee, Florida. Lake Reservoir Manage. 10: 139-148.
- Havens, K.E., C. Hanlon and R.T. James. 1995c. Historical trends in the Lake Okeechobee ecosystem. V. algal blooms. Archiv fur Hydrobiologie, Supplemental Monograph Issue 107: 89-100.
- Havens, K.E., N.G. Aumen, R.T. James and V.H. Smith. 1996a. Rapid ecological changes in a large subtropical lake undergoing cultural eutrophication. Ambio 25: 150-155.
- Havens, K.E., L.A. Bull, G.L. Warren, T.L. Crisman, E.J. Philips and J.P. Smith. 1996b. Food web structure in a subtropical lake ecosystem. Oikos 75: 20-32.
- Havens, K.E., T.L. East, R.H. Meeker, W.P. Davis and A.D. Steinman. 1996c. Phytoplankton and periphyton responses to in situ experimental nutrient enrichment in a shallow subtropical lake. Journal of Plankton Research 18: 551-566.
- Havens, K.E., E.G. Flaig, R.T. James, S. Lostal, and D. Muszick. 1996d. Results of to control phosphorus discharges from dairy operations in south-central Florida, USA. Environmental Management 21: 585-593.
- Havens, K.E. and B.H. Rosen. 1996. Plan for quantifying long-term ecological trends in Lake Okeechobee. Report, South Florida Water Management District. West Palm Beach, FL.
- Havens, K.E. and A.D. Steinman. 1995. Aquatic Systems. In: J.E. Rechcigl (Ed.), Soil Amendments: Impacts on Biotic Systems. Lewis Publishers, Boca Raton, FL. pp. 121-151.
- Hodges and Jones 1950. Torpedo grass. Unpublished report, University of Florida, Gainesville. 4 pp.
- James, R.T. and V.J. Bierman, Jr. 1995. A preliminary modeling analysis of water quality in Lake Okeechobee, Florida: Calibration Results. Water Research 29: 2755-2766.

- James, R.T., B.L. Jones and V.H. Smith. 1995a. Historical trends in the Lake Okeechobee ecosystem II. Nutrient budgets. - Arch. Hydrobiol. Monogr. Beih. 107: 25-47.
- James, R.T., V.H. Smith and B.L. Jones. 1995b. Historical trends in the Lake Okeechobee ecosystem III, Water quality. - Arch. Hydrobiol. Monogr. Beih. 107: 48-69.
- James, R.T., J. Martin, T. Wool and P.F. Wang. 1996. The addition of sediment and sediment resuspension processes to the Lake Okeechobee water quality model. Water Resources Bulletin, in review.
- Janus, L.L. 1987. Evidence for eutrophication of Lake Okeechobee: Declaration of net phosphorus sedimentation. Unpublished manuscript. In: Seventh International Symposium, North American Lake Management Society, November, 3-7, 1987, Orlando, FL.
- Joyner, B.F. 1972. Appraisal of chemical and biological conditions of Lake Okeechobee Florida 1969-1970, Open File Report 71006. United States Geological Survey.
- Kissimmee-Okeechobee Basin Report. 1972. A report to the Florida cabinet. Coordinating Council on the Restoration of the Kissimmee River Valley and Taylor Creek-Nubbin Slough Basin.
- Koebel, J.W., Jr. 1995. An historical perspective on the Kissimmee River restoration project. Restoration Ecology 3: 149-159.
- Lake Okeechobee Technical Advisory Council (LOTAC). 1986. Lake Okeechobee Technical Committee, Final Report. Florida Department of Environmental Regulation, Tallahassee, FL., August 1986. Revised November, 1986.
- Lamonds, A.G. 1975. Chemical characteristics of the Lower Kissimmee River, Florida, with emphasis on nitrogen and phosphorus. Water Resources Investigation 45. U.S. Geological Survey, Tallahassee, FL. 45-75 pp.
- Limno-Tech, Inc. 1992. Preliminary assessment of nitrogen impacts on Lake Okeechobee. Prepared for the South Florida Water Management District, West Palm Beach, FL.
- Lockhart, C.S. 1995. The effect of water level variation on the growth of *Melaleuca* seedlings from the Lake Okeechobee littoral zone. MS Thesis, Florida Atlantic University, Department of Biological Sciences, Boca Raton, FL.

- Loftin, M.K., L.A. Toth, J.T.B. Obeysekera. 1990. Kissimmee River Restoration alternative plan evaluation and preliminary design report. South Florida Water Management District, West Palm Beach, FL.
- LOTAC II. 1990. Lake Okeechobee Technical Advisory Council, Final Report. South Florida Water Management District, West Palm Beach, FL.
- Maceina, M.J. and D.M. Soballe. 1991. Wind-related limnological variation in Lake Okeechobee, Florida. *Lake and Reservoir Management*, 6(1): 93-100.
- Maceina, M.J. 1993. Summer fluctuations in planktonic chlorophyll *a* in lake Okeechobee, Florida. The influence of lake level. - *Lake Res. Management* 8: 1-11.
- Mansell, R.S., S.A. Bloom and P. Nkedi-Kizza. 1995. Phosphorus transport in Spokosols impacted by dairy waste. *Ecol. eng.*, 5; 281-299.
- Mehta, A.J. 1993. Lake Okeechobee phosphorus dynamics study. Volume XI. Sediment characteristics and deposition rates. Report, South Florida Water Management District, West Palm Beach, FL.
- Messer, J.J., P.L. Brezonik and B.R. Snyder. 1979. Denitrification in Lake Okeechobee, Florida. Report, Department of Environmental Engineering Sciences, University of Florida, Gainesville, FL.
- Meyer, F.W. 1971. Seepage beneath the Hoover Dike, southern shore of Lake Okeechobee. Rept. Inv. 58. Bureau of Geology, Florida Department of Natural Resources.
- Miller, T.H., A.C. Federico and J.F. Milleson. 1982. A survey of water quality characteristics and chlorophyll *a* concentrations in the Caloosahatchee River System, Florida. Technical Publication 82-4. South Florida Water Management District, West Palm Beach, FL. 157 pp.
- Milleson, J.F. 1987. Vegetation changes in the Lake Okeechobee littoral zone, 1972 -1982. Technical Publication 87-3. South Florida Water Management District, West Palm Beach, FL. 33 pp.
- Morris, F.W. 1987. Modeling of hydrodynamics and salinity in the St. Lucie Estuary. Report, South Florida Water Management District, West Palm Beach, FL.
- Morse, D. 1989. Studies of modification of phosphorus concentration in diets, hydrolysis of phytate bound phosphorus, and excretion of phosphorus by dairy cows. Ph.D. Dissertation, University of Florida, Gainesville, Florida.

- Negahban, B., C.B. Moss, J.W. Jones, J. Zhang, W.D. Boggess and K.L. Campbell. 1994. Optimal field management for regional water quality planning. ASAE Paper No. 94-3553, ASAE, St. Joseph, MI.
- Negahban, B., C. Fonyo, W.G. Boggess, J.W. Jones, K.L. Campbell, G. Kiker, E. Flaig and H. Lal. 1995. LOADSS: A GIS-based decision support system for regional environmental planning. *Ecological Engineering*, 5:391-404.
- Olila, O.G. and K.R. Reddy. 1993. Phosphorus sorption characteristics of sediments in shallow eutrophic lakes of Florida. *Archiv fur Hydrobiologie* 129: 45-65.
- Olila, O.,G. and K.R. Reddy. 1994. Phosphorus sorption characteristics of sediments in shallow eutrophic lakes of Florida. *Archiv fur Hydrobiologie* 129: 45-65.
- Otero, J.M. and V. Floris. 1994. Lake Okeechobee regulation schedule simulation -South Florida Regional Routing Model. Report, South Florida Water Management District, West Palm Beach, FL.
- Pesnell, G.L. and R.T. Brown. 1977. The major plant communities of Lake Okeechobee, Florida, and their associated inundation characteristics as determined by gradient analysis. Technical Publication 77-1. South Florida Water Management District, West Palm Beach, FL. 68 pp.
- Pfeuffer, R.J. 1985. Pesticide residue monitoring in sediment and surface water bodies within the South Florida Water Management District. Technical Publication 85-2. SFWMD, West Palm Beach, FL. 48 pp.
- Pfeuffer, R.J. 1988. Herbicide Monitoring Program for the active ingredient *Glyphosate*. Technical Publication 88-1. South Florida Water Management District, West Palm Beach, FL. 8 pp.
- Phlips, E.J., F.J. Aldridge, P. Hansen, P.V. Zimba, J. Ihnat, M. Conroy, P. Ritter. 1993. Spatial and temporal variability of trophic state parameters in a shallow subtropical lake (Lake Okeechobee, Florida, U.S.A.) - *Arch. Hydrobiol.* 128: 437-458.
- Phlips, E.J., P.V. Zimba, M.S. Hopson and T.L. Crisman. 1993a. Dynamics of the plankton community in submerged plant dominated regions of Lake Okeechobee, Florida, USA. *International Association of Theoretical and Applied Limnology, Proceedings* 25: 423-426.

- Phlips, E.J., F.J. Aldridge, P. Hansen, P.V. Zimba, J. Ihnat, M. Conroy and P. Ritter 1993b. Spatial and temporal variability in trophic state parameters in a shallow subtropical lake (Lake Okeechobee, Florida, USA). *Archiv fur Hydrobiologie* 128: 437-458.
- Phlips, E.J., F.J. Aldridge and C. Hanlon. 1994. Review of a seventeen year chlorophyll record as it pertains to the trophic status of Lake Okeechobee, Florida, USA - *Wat. Res. Bull.* 30:229-238.
- Phlips, E.J. and J. Ihnat. 1995. Planktonic nitrogen fixation in a shallow subtropical lake (Lake Okeechobee, Florida, USA). *Archiv fur Hydrobiologie, Advances in Limnology* 45: 191-201.
- Phlips, E.J., F.J. Aldridge and C. Hanlon. 1995. Potential factors limiting phytoplankton biomass in a shallow subtropical lake (Lake Okeechobee, Florida, USA). *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 45.
- Phlips, E.J., F.J. Aldridge and P. Hansen. 1995a. Patterns of water chemistry, physical and biological parameters in a shallow subtropical lake (Lake Okeechobee, Florida, USA). *Arch. Hydrobiol. Beih. Ergebn. Limnol.* 45: 117-135.
- Phlips, E.J., F.J. Aldridge, C. Schelske and T.L. Crisman. 1995b. Relationship between light availability, chlorophyll *a* and tripton in a large shallow subtropical lake. *Limnol. Oceanogr.* (In Press).
- Reddy, K.R., W.G. Harris, O.A. Diaz and H. Wang. 1993. Phosphorus retention in Okeechobee Basin. Final Report submitted to the South Florida Water Management District, West Palm Beach, FL.
- Reddy, K.R., Y.P. Sheng and B.L. Jones. 1995. Lake Okeechobee phosphorus dynamics study Volume I. summary. Report, South Florida Water Management District, West Palm Beach, FL, USA.
- Reddy, K.R., E.G. Flaig and D.A. Graetz. 1995b. Phosphorus assimilation capacity in the Lake Okeechobee watershed. *Environ. Manage.* (In Press).
- Reddy, K.R., E.G. Flaig, R. Kadlec and P. Gale. 1996. Phosphorus assimilation in streams and wetlands. *CRC Crit. Rev. Environ. Sci.* (Accepted).
- Reynolds, C.S. 1993. *The Ecology of Freshwater Phytoplankton*. Cambridge University Press, UK.

- Richardson, J.R. and T.T. Harris. 1995. Vegetation mapping and change detection in the Lake Okeechobee marsh ecosystem. *Archiv fur Hydrobiologie, Advances in Limnology* 45: 17-40 .
- Richardson, J.R., T.T. Harris and K.A. Williges. 1995. Vegetation correlations with various environmental parameters in the Lake Okeechobee marsh ecosystem. *Archiv fur Hydrobiologie, Advances in Limnology* 45: 41-61.
- Scarlatos, P. 1988. Caloosahatchee River estuary dynamics. Technical Publication 88-7. South Florida Water Management District, West Palm Beach, FL. 39 pp.
- Sheng, Y.P. and H.K. Lee. 1991. Computation of phosphorus flux between the vegetation area and the open water in Lake Okeechobee. Report, SFWMD.
- Shireman, J. 1991. Third year annual report of the Lake Okeechobee Ecosystem Study. South Florida Water Management District, West Palm Beach, FL.
- Scheffer, M., M. van den Berg, A. Breukelaar, C. Breukers, H. Coops, R. Doef and M.L. Meijer. 1994. Vegetated areas with clear water in turbid shallow lakes. *Aquatic Botany* 49: 193-196.
- Schroeder, M.C., D.L. Milliken and S.K. Love. 1954. Water Resources of Palm Beach County, Florida. Report of Investigations No. 13, Florida Geological Survey.
- South Florida Water Management District (SFWMD) and St. John=s River Water Management District (SJRWMD). 1992. Draft Indian River Lagoon SWIM Plan. 1992. Planning Department, SFWMD, West Palm Beach, FL.
- SFWMD. 1989. Surface Water Improvement and Management (SWIM) Plan for Biscayne Bay. Planning Department, SFWMD, West Palm Beach, FL.
- SFWMD. 1989. Interim Lake Okeechobee SWIM Plan, Part I: Water Quality and Part VII: Public Information. SFWMD, West Palm Beach, FL.
- SFWMD. 1991. Phase 1 Broward County Water Supply Plan. Planning Department, SFWMD, West Palm Beach, FL.
- SFWMD. 1991. Water Supply Policy Document. Planning Department, SFWMD, West Palm Beach, FL.
- SFWMD. 1992. Draft Dade County Water Supply Plan. Planning Department, SFWMD, West Palm Beach, FL.

- SFWMD. 1992. Draft Lower West Coast Water Supply Plan. Planning Department, SFWMD, West Palm Beach, FL.
- SFWMD. 1992. Surface Water Improvement and Management Plan for the Everglades. Planning Department, SFWMD, West Palm Beach, FL.
- SFWMD. 1992. Water Supply Needs and Sources 1990-2010. Planning Department, SFWMD, West Palm Beach, FL.
- SFWMD. 1994. Surface Water Improvement and Management Plan for Indian River Lagoon, SFWMD, West Palm Beach, FL.
- SFWMD. 1995a. South Florida Ecosystem Restoration Plan. South Florida Water Management District, West Palm Beach, FL.
- SFWMD. 1995b. Everglades Program Implementation: Management Plan-Revision 1. South Florida Water Management District, West Palm Beach, FL.
- SFWMD. 1995c. Save Our Rivers 1995 Five Year Plan. SFWMD, West Palm Beach, FL.
- Sheng, Y.P. and H.K. Lee. 1991. Computation of phosphorus flux between the vegetation area and the open water in Lake Okeechobee. Report, South Florida Water Management District, West Palm Beach, FL, USA.
- Sincock, J.L. 1957. A study of the vegetation on the northwest shore of Lake Okeechobee. Report, Florida Game and Fresh Water Fish Commission, Tallahassee, FL.
- Smith, J.P. and Callopy, M.W. 1995. Colony turnover, nest success and productivity, and causes of nest failure among wading birds at Lake Okeechobee, Florida: 1989-1992. Archiv fur Hydrobiologie, Advances in Limnology 45: 287-316.
- Smith, J.P., Richardson, J.R. and Callopy, M.W. 1995. Foraging habitat selection among wading birds at Lake Okeechobee, Florida in relation to hydrology and vegetative cover: a broad overview. Archiv fur Hydrobiologie, Advances in Limnology 45: 247-286.
- Tremwel, T.K. 1992. Field Hydrologic and Nutrient Transport Model, FHANTM. Ph.D. dissertation, University of Florida, Gainesville, FL.
- Takamura, N., A. Otsuki, M. Aizaki and Y. Nojiri. 1992. Phytoplankton species shift accompanied by transition from nitrogen dependence to phosphorus

- dependence of primary production in Lake Kasumigaura, Japan. International Association of Theoretical and Applied Limnology, Proceedings 124, 129-148.
- Trimble, P. and G. Marban. 1988. Preliminary evaluation of the Lake Okeechobee Regulation Schedule. Technical Publication 88-5. South Florida Water Management District, West Palm Beach, FL. 73 pp.
- Toth, L.A. 1993. The ecological basis for the Kissimmee River restoration plan. Florida Scientist 56: 25-61.
- University of Florida. 1991. Florida Statistical Abstract. University Press of Florida: Gainesville, FL.
- U.S. Army Corps of Engineers. 1978. The rule curves and key operating criteria master regulation manual.
- U.S. Army Corps of Engineers. 1986. Lake Okeechobee Waterway Master Plan, Phase 1. Central and South Florida Project. USCOE, Jacksonville District, Jacksonville, FL.
- U.S. Army Corps of Engineers. 1991. Environmental Restoration of the Kissimmee River: Final Integrated Feasibility Report and Environmental Impact Statement. USCOE, Jacksonville District, Jacksonville, FL.
- U.S. Environmental Protection Agency. 1987. Estuary program primer. United States EPA, Office of Marine and Estuarine Protection, Washington, DC.
- Van Rees, K.C.J., K.R. Reddy and P.S.C. Rao. 1996. Influence of benthic organisms on solute transport in lake sediments. *Hydrobiologia* 317: 31-40.
- Vollenweider, R.A. 1976. Advances in defining critical loading levels for phosphorus in lake eutrophication. *Mem. Ist. Ital. Idrobiol*, 33: 53-83.
- Wagner, R.A., T.S. Tisdale, and J. Zhang. 1996. A framework for phosphorus transport modeling in the Lake Okeechobee watershed. *Water Resource Bulletin* 32(1): 57-73.
- Walker, W.W., Jr. and K.E. Havens. 1995. Relating algal bloom frequencies to total phosphorus concentrations in Lake Okeechobee. *Lake and Reservoir Management* 11: 77-83.
- Wang, H.D., W.G. Harris, K.R. Reddy and E.G. Flaig. 1995. Stability of phosphorus forms in dairy-impacted soils under simulated teaching. *Ecol. Eng.* 5: 209-227.

- Warren, G.L., M.J. Vogel and D.D. Fox. 1995. Trophic and distributional dynamics of Lake Okeechobee sublittoral benthic invertebrate communities. *Archiv fur Hydrobiologie, Advances in Limnology* 45: 317-332.
- Will, L.E. 1977. A Cracker History of Okeechobee. Great Outdoor Publishing Co., St. Petersburg, Fl.
- Whalen, P.G. and M.G. Cullum. 1988. An assessment of urban land use/storm water runoff water quality relationships and treatment efficiencies of selected stormwater management systems. Technical Publication 88-9. South Florida Water Management District, West Palm Beach, FL. 56 pp.
- Zaffke, M. 1984. Wading bird utilization of Lake Okeechobee marshes. 1981. Technical Publication 84-9. South Florida Water Management District, West Palm Beach, FL. 38 pp.
- Zhang, J., T.S. Tisdale, R.A. Wagner. 1996a. A Basin scale phosphorus transport model for south Florida. *Applied Engineering in Agriculture* 12(3): 321-327.
- Zhang, J., E.J. Albers and N.G. Aumen. 1996b. Potential for phosphorus load reduction in dairy runoff in the Lake Okeechobee watershed (Florida, USA). *Applied Engineering in Agriculture*. 12(3): 329-334.
- Zhang, J., and A. Essex. 1997. Phosphorus load reductions from out-of-compliance sites in the Lake Okeechobee watershed, Florida. *Applied Engineering in Agriculture* 13 (2): (*in press*).
- Zimba, P.V. 1995. Epiphytic algal biomass of the littoral zone, Lake Okeechobee, Florida. *Archiv fur Hydrobiologie, Advances in Limnology* 45: 233-240.